

AUTHORS INDEX

A

- Alt, A., Trapp, H. G., New Method of Treatment with Pure Mg to Produce Ductile Iron 167
- Amrhein, R. F., Heine, R. W., Residual Al Effects in Melting White Cast Irons 269
- Ashbrook, R. L., Locke, C., Nature of Mold Gases—a Review 91
- Askeland, D. R., Trojan, P. K., Flinn, R. A., Dross Formation Reactions in the System Mg-Si-O in Ductile Iron 349

B

- Barger, M. N., Trojan, P. K., Talbala, M., Flinn, R. A., Sulfur Removal from Liquid High C Iron by Various Slags and by CaC₂ 291
- Barrick, J. R., Steib, R. B., Computerized Melt Shops for Greater Profits 17
- Berry, J. T., The Art of Communication in the Foundry Industry 427
- Bilek, P. J., Dong, J. M., McCluhn, T. K., Roles of Ca and Al in Inoculation of Gray Iron 183
- Bolling, G. F., Cole, G. S., Cissé, J., Kerr, H. W., Grain Refinement in Al and Al Alloys 211
- Brosnahan, T., Shredded Scrap as a Cupola Charge Material 153
- Burlingame, R. D., Production of Shredded Automobile Scrap for Cupola Melting 149

C

- Church, N. L., Fiene, M. J., DePaul, R. A., An Austenitic Ductile Iron for Elevated Temperature Applications ... 67
- Cissé, J., Cole, G. S., Kerr, H. W., Bolling, G. F., Grain Refinement in Al and Al Alloys 211
- Cole, G. S., Solidification of Ductile Iron 335
- Cole, G. S., Cissé, J., Kerr, H. W., Bolling, G. F., Grain Refinement in Al and Al Alloys 211
- Cutler, R. T., Preparing for and Establishing Metrification in the Patternmaking Industry 137

D

- Delamore, G. W., Mehra, N. K., Smith, R. W., Mackay, W. B. F., On Controlling Inclusion Dispersion in Cast Metals 299
- DenBreejen, A. C., Sanders, C. A., Doelman, R. L., Influence of Shape and Molding Media on Heat Abstraction from Metal Castings 129
- DePaul, R. A., Fiene, M. J., Church, N. L., An Austenitic Ductile Iron for Elevated Temperature Applications ... 67
- Dietert, H. W., Graham, A. L., Sand Toughness 441
- Doelman, R. L., Sanders, C. A., DenBreejen, A. C., Influence of Shape and Molding Media on Heat Abstraction from Metal Castings 129
- Dong, J. M., Bilek, P. J., McCluhn, T. K., Roles of Ca and Al in Inoculation of Gray Iron 183
- Draper, A. B., Sikorsky, J. E., Effect of Compaction Method on Green Properties of Sand Bonded with Bentonite Clays 381
- Duca, W. J., HCIF—The Electric Cupola 13

E

- Estes, J. W., Fredericks, S. L., An Economic Evaluation of the Successful Use of Oxygen Enrichment on Cupolas in Ten Gray Iron Foundries 189

F

- Fava, J., Prado, R. M., Marchant, A. L., Solubility of Carbon in Liquid Cu-Ni Alloys 193
- Ferency, D. L., Troy, E. C., Sand Mixtures of Temperature Deactivated Bentonite 45
- Ferrara, R. J., Zanis, C. A., An Investigation Into De-alloying of Cast Ni-Al Bronze 259
- Fiene, M. J., Church, N. L., DePaul, R. A., An Austenitic Ductile Iron for Elevated Temperature Applications ... 67
- Flemings, M. C., Mehrabian, R., Die Castings of Partially Solidified Alloys 173
- Flinn, R. A., Barger, M. N., Trojan, P. K., Talbala, M., Sulfur Removal from Liquid High C Iron by Various Slags and by CaC₂ 291

- Flinn, R. A., Matsubara, Y., Trojan, P. K., Suga, S., Gas Porosity in Copper Alloys-Aluminum Bronze 37
- Flinn, R. A., Trojan, P. K., Askeland, D. R., Dross Formation Reactions in the System Mg-Si-O in Ductile Iron .. 349
- Floreen, S., Development of IN-833, a Cast, Age-hardened Stainless Steel 125
- Forbes, R. M., Properties of IN-856, a Highly Castable Stainless Steel 329
- Fredericks, S. L., Estes, J. W., An Economic Evaluation of the Successful Use of Oxygen Enrichment on Cupolas in Ten Gray Iron Foundries 189
- Fulthorpe, V. R., Rumbold, B. C., Neuman, R. W., Ruddle, R. W., Pollution Control—Efficient Riser of Ferrous Castings 433

G

- Graham, A. L., Dietert, H. W., Sand Toughness 441
- Graham, A. L., Troy, E. C., Rowell, V. M., Metric Conversion of Sand Test Properties 81
- Gorski, C. H., Groth, D. H., Scheel, L. D., Lack of Silicotic Activity in Rats Injected with Sand and Nobake Binder 311
- Graham, A. L., Dietert, H. W., Sand Toughness 40
- Groth, D. H., Scheel, L. D., Gorski, C. H., Lack of Silicotic Activity in Rats Injected with Foundry Sand and Nobake Binder 311

H

- Hanawalt, J. D., Okada, M., Oxidation Inhibiting Techniques for Magnesium Sand Casting 87
- Heine, R. W., Amrhein, R. F., Residual Al Effects in Melting White Cast Irons 269
- Heine, R. W., Lalich, M. J., Loper, C. R., Jr., Rosenthal, P. C., Arsenic in Ductile Iron 401
- Heine, R. W., Mertz, J. M., Effect of Casting Geometry on Feeding Distance in White Iron 307
- Heine, R. W., Sohliden, Feeding White Iron Through Cores 205
- Hemphill, R. M., Pense, A. W., Effect of Isothermal Heat Treatment on Ferrite Grain Size and Properties of Large C-Mn Steel Castings 73

K

- Kerr, H. W., Cole, G. S., Cissé, J., Bolling, G. F., Grain Refinement in Al and Al Alloys 211

L

- Lalich, M. J., Loper, C. R., Jr., Heine, R. W., Rosenthal, P. C., Arsenic in Ductile Iron 401
- Lawrence, G. D., A New Technique for Casting High Strength Mg Composites 283
- Levelink, H. C., Influence of Molds on Casting Defects Caused by Water Explosion 359
- Locke, C., Ashbrook, R. L., Nature of Mold Gases—a Review 91
- Loper, C. R., Jr., Lalich, M. J., Heine, R. W., Rosenthal, P. C., Arsenic in Ductile Iron 401

M

- Mackay, W. B. F., Smith, R. W., Delamore, G. W., Mehra, N. K., On Controlling Inclusion Dispersion in Cast Metals 299
- Marchant, A. L., Prado, R. M., Fava, J., Solubility of Carbon in Liquid Cu-Ni Alloys 193
- Margerie, J. C., Parent, S., Mechanical Properties and Wear Resistance of White Cast Irons 393
- Matsubara, Y., Flinn, R. A., Trojan, P. K., Suga, S., Gas Porosity in Copper Alloys Aluminum Bronze 37
- Mehra, N. K., Delamore, G. W., Smith, R. W., Mackay, W. B. F., On Controlling Inclusion Dispersion in Cast Metals 299
- Mehrabian, R., Flemings, M. C., Die Casting of Partially Solidified Alloys 173
- Melcher, R. E., Somers, R. W., A New Dimension in Green Molding Sand for the Nonferrous Foundry 51
- Mertz, J. M., Heine, R. W., Effect of Casting Geometry on Feeding Distance in White Iron 307

| | | | |
|--|-----|---|-----|
| Millis, K. D., Research and the Foundry Industry | 105 | -Influence of Relative Thickness of Core | 141 |
| Muzumdar, K. M., Wallace, J. F., Inoculation-Sulfur Relationship in Cast Iron | 317 | Seaton, W. W., Planning and Designing for Automobile Pouring | 61 |
| N | | Seshadri, M. R., Ramachandran, A., Saileswaren, N., Panchanathan, V., Studies of Compaction and Physical Properties of Binary Sand Mixes | 273 |
| Neuman, R. W., Fulthorpe, V. R., Rumbold, B. C., Ruddle, R. W., Pollution Control—Efficient Riser of Ferrous Castings | 433 | Sikorsky, J. E., Draper, A. B., Effect of Compaction Method on Green Properties of Sand Bonded with Bentonite Clays | 381 |
| Nowak, S. P., Mechanical Properties of a High Strength Cast Al-Zn-Mg Alloy | 25 | Smirnnow, G. A., Value Engineering and Critical Evaluation of Modern Coremaking and Molding Processes ... | 161 |
| O | | Smith, R. W., Delamore, G. W., Mehra, N. K., Mackay, W. B. F., On Controlling Inclusion Dispersion in Cast Metals | 299 |
| Okada, M., Hanawalt, J. D., Oxidation Inhibiting Techniques for Magnesium Sand Casting | 87 | Sohlner, P. E., Heine, R. W., Feeding White Iron Through Cores | 205 |
| P | | Somers, R. W., Melcher, R. E., A New Dimension in Green Molding Sand for the Nonferrous Foundry | 51 |
| Panchanathan, V., Saileswaren, N., Seshadri, M. R., Ramachandran, A., Studies of Compaction and Physical Properties of Binary Sand Mixes | 273 | Sontz, A., Recovery of Chromite Sand | 1 |
| Parent, S., Margerie, J. C., Mechanical Properties and Wear Resistance of White Cast Irons | 393 | Srinagesh, K., Schumacher, J. S., Heine, R. W., Observations on Blowing Green Sand | 369 |
| Pehlke, R. D., Wada, H., Nitrides in Cast Iron | 287 | Steib, R. B., Barrick, J. R., Computerized Melt Shops for Greater Profits | 17 |
| Pense, A. W., Hemphill, R. M., Effect of Isothermal Heat Treatment on Ferrite Grain Size and Properties of Large C-Mn Steel Castings | 73 | Stezlow, F. J., Jr., What's New in Pattern Change? | 157 |
| Plenard, E., Strain of Cast Metals Under Cyclic Stresses | 111 | Suga, S., Flinn, R. A., Matsubara, Y., Trojan, P. K., Gas Porosity in Copper Alloys Aluminum Bronze | 37 |
| Prado, R. M., Fava, J., Marchant, A. L., Solubility of Carbon in Liquid Cu-Ni Alloys | 193 | T | |
| R | | Talballa, M., Barger, M. N., Trojan, P. K., Flinn, R. A., Sulfur Removal from Liquid High C Iron by Various Slags and by CaC ₂ | 291 |
| Ramachandran, A., Seshadri, M. R., Saileswaren, N., Panchanathan, V., Studies of Compaction and Physical Properties of Binary Sand Mixes | 273 | Trapp, H. G., Alt, A., New Method of Treatment with Pure Mg to Produce Ductile Iron | 167 |
| Riddell, F. L., Automatic Pouring Processes in American Brass Foundries | 119 | Trojan, P. K., Askeland, D. R., Flinn, R. A., Dross Formation Reactions in the System Mg-Si-O in Ductile Iron | 349 |
| Rooy, E. L., A Summary of Technical Information on Hypereutectic Al-Si Alloys | 421 | Trojan, P. K., Barger, M. N., Talballa, M., Flinn, R. A., Sulfur Removal from Liquid High C Iron by Various Slags and by CaC ₂ | 291 |
| Rosenthal, P. C., Lalich, M. J., Loper, C. R., Jr., Heine, R. W., Arsenic in Ductile Iron | 401 | Troy, E. C., Ferency, D. L., Sand Mixtures of Temperature Deactivated Bentonite | 45 |
| Rowell, V. M., Troy, E. C., Graham, A. L., Metric Conversion of Sand Test Properties | 81 | Troy, E. C., Graham, A. L., Rowell, V. M., Metric Conversion of Sand Test Properties | 81 |
| Ruddle, R. W., Fulthorpe, V. R., Rumbold, B. C., Neuman, R. W., Pollution Control—Efficient Riser of Ferrous Castings | 433 | Tzavaras, A., Wallace, J. F., Behavior of Inclusions in Steel Under Induced Fluid Flow During Solidification | 197 |
| Rumbold, B. C., Fulthorpe, V. R., Neuman, R. W., Ruddle, R. W., Pollution Control—Efficient Riser of Ferrous Castings | 433 | W | |
| S | | Wada, H., Pehlke, R. D., Nitrides in Cast Iron | 287 |
| Saileswaren, N., Seshadri, M. R., Ramachandran, A., Panchanathan, V., Studies of Compaction and Physical Properties of Binary Sand Mixes | 273 | Wallace, J. F., Muzumdar, K. M., Inoculation-Sulfur Relationship in Cast Iron | 317 |
| Sanders, C. A., Doelman, R. L., DenBreejen, A. C., Influence of Shape and Molding Media on Heat Abstraction from Metal Castings | 129 | Wallace, J. F., Tzavaras, A., Behavior of Inclusions in Steel Under Induced Fluid Flow During Solidification | 197 |
| Scheel, L. D., Groth, D. H., Gorski, C. H., Lack of Silicotic Activity in Rats Injected with Foundry Sand and Nobake Binder | 311 | Williams, D. C., Measured and Calculated Rammed Sand Characteristics Leading to a New Theory for the Bonding Mechanism | 237 |
| Schumacher, J. S., Srinagesh, K., Heine, R. W., Observations on Blowing Green Sand | 369 | Z | |
| Sciama, G., Study of the Solidification of Hollow Castings | | Zanis, C. A., Ferrara, R. J., An Investigation Into De-alloying of Cast Ni-Al Bronze | 259 |
| | | Zimnawoda, H. W., Reclamation of Foundry Sands | 231 |

SUBJECT INDEX

The page numbers refer to the first page of the entire article which contains the subject listed.

| | |
|--------------------------------------|-----|
| A | |
| Alloying | |
| Aluminum and grain refinement | 211 |
| Ductile Iron austenitic | 67 |
| Aluminum alloys | |
| Aluminum Bronze | |
| Gas porosity | 37 |
| Aluminum-Silicon hypereutectic alloy | |
| Holding | 421 |
| Machining | 421 |
| Modification & refinement | 421 |
| Nucleants | 421 |
| Postnucleation fluxing | 421 |

| | |
|-------------------------------|-----|
| Remelting | 421 |
| Aluminum Zinc-Magnesium alloy | |
| High strength | 25 |
| Investment casting | 25 |
| Mechanical properties | 25 |
| Aluminum in | |
| Malleable Iron | 269 |
| Defect prevention | 269 |
| Annealing | |
| Carbon-Manganese Steel | 73 |
| Arsenic in | |
| Ductile Iron | 401 |
| Addition methods | 401 |
| Compositions | 401 |
| Mechanical properties | 401 |
| Microstructure | 401 |
| Austenitic Ductile Iron | |
| Alloying | 67 |

| | |
|-------------------------------|-----|
| Applications | 67 |
| Composition | 67 |
| High temperature applications | 67 |
| Mechanical properties | 67 |
| Production | 67 |
| Automatic pouring—general | |
| Equipment | |
| Applications | 61 |
| Design | 61 |
| Selection | 61 |
| Methods | 61 |
| Automatic pouring of Brass | |
| Application | 119 |
| Charge Materials | 119 |
| Control | 119 |
| Equipment | 119 |
| Methods | 119 |

| | |
|-----------------------|-----|
| Refractory life | 119 |
| Yield | 119 |

B

| | |
|--|-----|
| Bentonite | |
| Deactivated effects | 45 |
| Binary sand mixes (see Synthetic sand) | |
| Binders (see Sand binders) | |
| Bronze | |
| Nickel-Aluminum Bronze | |
| Corrosion resistance | 259 |
| Dealuminization | 259 |

C

| | |
|---|----------|
| Carbon-Manganese Steel | |
| Annealing | 73 |
| Composition | 73 |
| Grain refinement | 73 |
| Heat Treatment | 73 |
| Mechanical properties | 73 |
| Carbon Solubility in | |
| Copper-Nickel alloys in defect study | 193 |
| Cast Iron (see also Gray, Malleable & Ductile Iron) | |
| Nitride formation to prevent Nitrogen causing defects .. | 287 |
| Chill control and | |
| Gray Iron inoculation with Calcium & Aluminum | 183 |
| Chromite sand | |
| Reclamation | 1 |
| Core Practice | |
| Binder cost analysis | 161 |
| Processes used vs number of foundries | 161 |
| Process evaluation | 161 |
| Thickness related to hollow castings & solidification | 141 |
| White Iron and feeding studies in green sand | 205 |
| Clay bonding | |
| New theory | 237 |
| Composits (see Magnesium composits) | |
| Computer applications | |
| Charge materials control | 17 |
| Furnace operation | 17 |
| Melting process control | 17 |
| Copper alloys | |
| Copper-Nickel alloys | |
| Carbon solubility for gas defects study | 193 |
| Corrosion Resistance | |
| Bronze (Nickel-Aluminum) ... | 259 |
| Cupola | |
| Electric cupola HCIF | 13 |
| Melting | |
| Shredded scrap | 149, 153 |
| Oxygen enrichment (see Oxygen enrichment) | |
| Cyclic stresses and mechanical properties | 111 |

D

| | |
|---|-----|
| Dealuminization of Nickel-Aluminum Bronze | 259 |
| Defects | |
| Cast Iron | |
| Nitrogen causing and prevention by | |

| | |
|---|-----|
| Nitride formation ... | 287 |
| Copper-Nickel alloy | |
| Carbon solubility study .. | 193 |
| Gas porosity | |
| Aluminum Bronze | 37 |
| Mold materials | 37 |
| Inclusions and mechanism of formation | 299 |
| Malleable Iron and prevention | 269 |
| Nitrogen causing defects and prevention by Nitride formation on Cast Iron | 287 |
| Water explosion causes (see Water explosion caused defects) | |
| White Iron and shrinkage related defects on feeding distance | 307 |
| Desulfurization of | |
| Ductile Iron by slag and Calcium Carbide | 291 |
| Die casting | |
| Partially solidified alloys | 173 |
| Rheocasting | 173 |
| Directional solidification | |
| Gas porosity | 37 |
| Dross in | |
| Ductile Iron and Mg-Si-O reaction mechanism | 349 |
| Ductile Iron | |
| Arsenic in (see Arsenic in Ductile Iron) | |
| Desulfurization by slags & Calcium Carbide | 291 |
| Dross forming reactions in the Mg-Si-O system | 349 |
| Magnesium (new process) treatment | |
| Application | 167 |
| Carbon pickup | 167 |
| Casting properties | 167 |
| Cost | 167 |
| Desulfurization | 167 |
| Magnesium pickup | 167 |
| Nodularization | 335 |
| Pearlite content measurement in microstructure | 219 |
| Solidification | 335 |

E

| | |
|-----------------------------|----|
| Electric cupola | |
| Charge materials | 13 |
| Design | 13 |
| Metallurgical control | 13 |

F

| | |
|--|-----|
| Feeding | |
| Long freezing range alloys ... | 427 |
| Short freezing range alloys ... | 427 |
| White Iron & casting geometry effect | 307 |
| White Iron in green sand and effect on core practice ... | 205 |
| Furnaces (see Induction, Arc, Cupola, Electric cupola) | |

G

| | |
|--|-----|
| Gases in molds (see Mold gases) | |
| Gas porosity and | |
| Directional solidification | 37 |
| Mold material & moisture ... | 37 |
| Section thickness | 37 |
| Grain refinement and Aluminum & Aluminum alloy additions | 211 |

| | |
|---|-----|
| Carbon-Manganese Steel | 73 |
| Inoculation of Aluminum & Aluminum alloys | 211 |
| Gray Iron | |
| Inoculation with | |
| Calcium & Aluminum | 183 |
| Sulfur | 317 |
| Solidification & sulfur inoculation | 317 |
| Green sand and | |
| Mold blowing | 369 |
| Green sand molding | |
| Organic substitute for temper water (see Organic substitute for temper water) | |
| White Iron & effect of core practice on feeding | 205 |

H

| | |
|---|-----|
| Heat abstraction and Sand mold shape & media ... | 129 |
| Heat treatment | |
| Carbon-Manganese Steel | 73 |
| Stainless Steel IN-833 | 125 |
| High temperature applications and austenitic Ductile Iron | 67 |
| Hollow castings and core thickness & solidification | 141 |

I

| | |
|--|-----|
| Inclusion and | |
| Dispersion | 299 |
| Mechanism of formation | 299 |
| Steel under induced fluid flow | 197 |
| Induction furnaces | |
| Electric cupola | 13 |
| Inoculation of | |
| Aluminum and Aluminum alloy grain refinement | 211 |
| Gray Iron with Calcium & Aluminum | 183 |
| Gray Iron with Sulfur | 317 |
| Investment casting | |
| Aluminum-Magnesium-Silicon alloy | 25 |

M

| | |
|--|-----|
| Magnesium | |
| Composits | |
| High strength | 283 |
| Methods of casting | 283 |
| Properties | 283 |
| Oxidation inhibiting technique | 87 |
| Malleable Iron | |
| Aluminum & its residual effects on defect prevention | 269 |
| Measurement of | |
| Ductile Iron pearlite content .. | 219 |
| Mechanical properties | |
| Aluminum-Zinc-Magnesium alloy | 25 |
| Austenitic Ductile Iron | 67 |
| Carbon-Manganese Steel | 73 |
| Cyclic stresses | 111 |
| Stainless Steel IN-833 | 125 |
| Stainless Steel IN-856 | 329 |
| Melting of | |
| Shredded scrap | 153 |
| Metric conversion and | |
| Pattern making | 137 |
| Sand properties | 81 |
| Metrication (see Metric conversion) | |

| | |
|--|-----|
| Microstructure of | |
| Ductile Iron & pearlitic content measurement | 219 |
| Mold blowing of | |
| Green sand | 369 |
| Mold coating for | |
| Magnesium sand castings | 87 |
| Mold gases (a review) | |
| Capillary effects | 91 |
| Chemical nature of gases | 91 |
| Gas volume & pressure & sources | 91 |
| Heat transfer | 91 |
| High velocity volatilization | 91 |
| Permeability | 91 |
| Testing | 91 |
| Water effect | 91 |
| Mold materials | |
| Gas porosity | 37 |

N

| | |
|---|-----|
| Nickel-Aluminum Bronze (see Bronze) | |
| Nitride in | |
| Cast Iron to prevent Nitrogen causing defects | 287 |
| No-Bake-Urethane and | |
| Silicotic inactivity in rats | 311 |
| Nodularization of | |
| Ductile Iron | 335 |

O

| | |
|-------------------------------|-----|
| Organic substitute for temper | |
| water and | |
| Casting weight | 51 |
| Expansion effect | 51 |
| Gas evolution | 51 |
| Heat transfer effect | 51 |
| Molding properties | 51 |
| Shakeout characteristics | 51 |
| Oxygen enrichment in cupola | |
| Application methods | 189 |
| Economic evaluation | 189 |

P

| | |
|---|-----|
| Pattern coatings | |
| Comparisons | 157 |
| Developments | 157 |
| History | 157 |
| Properties desired | 157 |
| Pattern making | |
| Coatings (see Pattern coatings) | |
| Metric conversion | 137 |
| Pearlite measurement in | |
| Ductile Iron microstructure | 219 |
| Pouring | |
| Automatic pouring (see Automatic pouring) | |
| Process control | |
| Computer applications | 17 |
| Furnace operation | 17 |
| Melting & computer applications | 17 |
| Process evaluation of | |
| Core making | 161 |
| Sand molding | 161 |
| Properties | |
| Mechanical properties (see Mechanical properties) | |
| Sand properties (see Sand properties) | |

R

| | |
|------------------------------------|--|
| Reclamation (see Sand reclamation) | |
|------------------------------------|--|

| | |
|--|-----|
| Research & Foundry Industry (Hoyt Lecture) | |
| Alloying elements | |
| Heat & corrosion resistant | 105 |
| History & development | 105 |
| Superalloy development | 105 |
| Casting vs Plastics | 105 |
| Molding development | 105 |
| Rheocasting | |
| Die casting process | 173 |
| Rising | |
| Feeding castings (see Feeding castings) | |
| Riser sleeves (see Riser sleeves) | |
| Riser sleeves | |
| Fumeless | |
| Antipiping compounds | 433 |
| Heat transfer | 433 |
| Properties | 433 |
| Testing | 433 |

S

| | |
|---|-----|
| Sand | |
| Green sand (see Green sand) | |
| Sand molding (see Sand molding) | |
| Sand ramming (see Sand ramming) | |
| Synthetic molding sand (see Synthetic molding sand) | |
| Sand binders | |
| Amount used | 161 |
| Bonding mechanism of clay | 237 |
| Clay bonding mechanism | 237 |
| No-Bake-Urethane and Silicotic inactivity in rats | 311 |
| Process evaluation | 161 |
| Sand compaction of | |
| Synthetic sand | 273 |
| Sand molding (see also Green sand molding) | |
| Green sand mold blowing | 369 |
| Heat abstraction related to mold shape & media | 129 |
| Mold blowing of green sand | 369 |
| Mold media & shape related to heat abstraction | 129 |
| Process evaluation | 161 |
| Sand properties and | |
| Bentonite deactivated | 45 |
| Metric conversion | 81 |
| Sand ramming | |
| Bonding mechanism | 237 |
| Calculated | 237 |
| Measured | 237 |
| Sand reclamation | |
| Application | 231 |
| Chromite sand | |
| Blowing | 1 |
| Electrodynamic | 1 |
| Hydraulic | 1 |
| Magnetic | 1 |
| Equipment | 231 |
| Mechanical | 231 |
| Pneumatic | 231 |
| Thermal | 231 |
| Wet | 231 |
| Sand testing | |
| Bentonite deactivated | 45 |
| Compactability | 441 |
| Compressive strength | 441 |
| Jolt testing | 441 |
| Metric conversion | 81 |
| Moldability | 441 |
| Ramming | 441 |
| Toughness | 441 |
| Shredded scrap | |
| Applications | 153 |

| | |
|--|-----|
| Composition | 153 |
| Melting | 153 |
| Production | 149 |
| Properties | 153 |
| Silicotic inactivity and | |
| No-Bake-Urethane injections in rats | 311 |
| Slag and | |
| Desulfurization of Ductile Iron | 291 |
| Solidification (see also Directional solidification) | |
| Die casting | 173 |
| Ductile Iron | 335 |
| Gray Iron & Sulfur inoculation | 317 |
| Hollow casting related to core thickness | 141 |
| Steel & inclusion behavior under induced fluid flow | 197 |
| Stainless steel | |
| IN-833 | |
| Age hardenable | 125 |
| Heat treatment | 125 |
| Mechanical properties | 125 |
| Nickle effect | 125 |
| IN-856 | |
| Castability | 329 |
| Properties | 329 |

| | |
|---|----------|
| Steel | |
| Carbon-Manganese (see Carbon-Manganese Steel) | |
| Inclusion behavior under induced fluid flow | 197 |
| Stainless Steel (see Stainless Steel) | |
| Sulfur in | |
| Gray Iron | 317 |
| Synthetic molding sand and effect of | |
| Clay type & control | 273, 381 |
| Compaction | 273, 381 |
| Composition | 381 |
| Green properties | 381 |
| Hardness | 381 |
| Permeability | 381 |

V

| | |
|-------------------------|-----|
| Value engineering and | |
| Core making evaluation | 161 |
| Sand molding evaluation | 161 |

W

| | |
|---|-----|
| Water explosion caused defects | |
| Mold influence | |
| Clay control & type | 359 |
| Composition | 359 |
| Moisture control | 359 |
| Mulling & mixing | 359 |
| Sand additives | 359 |
| Sand fineness | 359 |
| Wear resistance of | |
| White Iron and | |
| Alloy selection | 393 |
| Heat treatment | 393 |
| Mechanical properties | 393 |
| Microstructure | 393 |
| Tests | 393 |
| White Iron (see also Malleable Iron) | |
| Casting geometry effect on feeding distance | 307 |
| Feeding in green sand & effect on core practice | 205 |
| Mechanical properties | 393 |
| Melting and | |
| Aluminum effect on defect prevention | 269 |
| Wear resistance (see Wear resistance) | |

